

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT230015404
APPLICANT NAME : Akay Stand Paz.San.Tic.Ltd.Şti.
ADDRESS : Adnan Kahveci Mh. İnönü Cd No:93Beylikdüzü İstanbul / TURKEY
 TEL:0212 855 79 35FAX:0212 855 79 36
Attention : Hamza Sakarya (hsakarya@akaystand.com.tr)
SAMPLE DESCRIPTION : One sample of Transparent Sauce Cup with Transparent Lid - 70 cc
DATE IN : 9 February ,2023 (14:41:00)
DATE OUT : 28 February ,2023

TEST	SAMPLE
	1
Dishwasher Safety	F

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered



Ezgi Aleyna ARI
Customer Care Executive



Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
 Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
 Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
 e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



230015404

Test Method	Results	Requirements
Dishwasher Safety INTERTEK IHTM AD001 : 2005 refer to BS EN 12875-1		
125 cycles		
Sauce cup	No visible deterioration, distortion or damage.	No visible deterioration, distortion or damage.
Lid	At the end of the 1st wash, determination was observed in the image of the souple	No visible deterioration, distortion or damage.

RESULTS

REPORT :TURT230015404

Page 3 of 3

28 February ,2023

Hardline



END OF TEST REPORT

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT230015734
APPLICANT NAME : Akay Stand Paz.San.Tic.Ltd.Şti.
ADDRESS : Adnan Kahveci Mh. İnönü Cd No:93Beylikdüzü İstanbul / TURKEY
 TEL:0212 855 79 35FAX:0212 855 79 36
Attention : Hamza Sakarya (hsakarya@akaystand.com.tr)
SAMPLE DESCRIPTION : Six samples of Transparent Sauce Cup - 120 cc
DATE IN : 9 February ,2023 (14:42:00)
DATE OUT : 28 February ,2023

TEST	SAMPLE
	1
Dishwasher Safety	P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered



Ezgi Aleyna ARI
Customer Care Executive



Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
 Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
 Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
 e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



230015734

Test Method	Results	Requirements
Dishwasher Safety INTERTEK IHTM AD001 : 2005 refer to BS EN 12875-1		
125 cycles	No visible deterioration, distortion or damage.	No visible deterioration, distortion or damage.

RESULTS

REPORT :TURT230015734

Page 3 of 3

28 February ,2023

Hardline



END OF TEST REPORT

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT230015735
APPLICANT NAME : Akay Stand Paz.San.Tic.Ltd.Şti.
ADDRESS : Adnan Kahveci Mh. İnönü Cd No:93Beylikdüzü İstanbul / TURKEY
TEL:0212 855 79 35FAX:0212 855 79 36
Attention : Hamza Sakarya (hsakarya@akaystand.com.tr)
SAMPLE DESCRIPTION : Eight samples of Transparent Sauce Cup - 30 cc
DATE IN : 9 February ,2023 (14:42:00)
DATE OUT : 28 February ,2023

TEST	SAMPLE
	1
Dishwasher Safety	P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered

Ezgi Aleyna ARI
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



230015735

Test Method	Results	Requirements
Dishwasher Safety INTERTEK IHTM AD001 : 2005 refer to BS EN 12875-1		
125 cycles	No visible deterioration, distortion or damage.	No visible deterioration, distortion or damage.

RESULTS

REPORT :TURT230015735

Page 3 of 3

28 February ,2023

Hardline



END OF TEST REPORT

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT230015736
APPLICANT NAME : Akay Stand Paz.San.Tic.Ltd.Şti.
ADDRESS : Adnan Kahveci Mh. İnönü Cd No:93Beylikdüzü İstanbul / TURKEY
TEL:0212 855 79 35FAX:0212 855 79 36
Attention : Hamza Sakarya (hsakarya@akaystand.com.tr)
SAMPLE DESCRIPTION : One sample of 80 cc Plastic Sauce Cub
DATE IN : 9 February ,2023 (14:42:00)
DATE OUT : 28 February ,2023

TEST	SAMPLE
	1
Dishwasher Safety	P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered

Ezgi Aleyna ARI
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



230015736

Test Method	Results	Requirements
Dishwasher Safety INTERTEK IHTM AD001 : 2005 refer to BS EN 12875-1		
125 cycles	No visible deterioration, distortion or damage.	No visible deterioration, distortion or damage.

RESULTS
REPORT :TURT230015736

Page 3 of 3
28 February ,2023
Hardline



END OF TEST REPORT

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT230015737
APPLICANT NAME : Akay Stand Paz.San.Tic.Ltd.Şti.
ADDRESS : Adnan Kahveci Mh. İnönü Cd No:93Beylikdüzü İstanbul / TURKEY
TEL:0212 855 79 35FAX:0212 855 79 36
Attention : Hamza Sakarya (hsakarya@akaystand.com.tr)
SAMPLE DESCRIPTION : Three samples of Transparent Sauce Cup - 100 cc
DATE IN : 9 February ,2023 (14:42:00)
DATE OUT : 28 February ,2023

TEST	SAMPLE
	1
Dishwasher Safety	F

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered

Ezgi Aleyna ARI
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



230015737

Test Method	Results	Requirements
Dishwasher Safety INTERTEK IHTM AD001 : 2005 refer to BS EN 12875-1		
125 cycles		
Sauce cup	No visible deterioration, distortion or damage.	No visible deterioration, distortion or damage.
Lid	At the end of the 1st wash, determination was observed in the image of the souple	No visible deterioration, distortion or damage.

RESULTS

REPORT :TURT230015737

Page 3 of 3

28 February ,2023

Hardline



END OF TEST REPORT

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT230015738
APPLICANT NAME : Akay Stand Paz.San.Tic.Ltd.Şti.
ADDRESS : Adnan Kahveci Mh. İnönü Cd No:93Beylikdüzü İstanbul / TURKEY
TEL:0212 855 79 35FAX:0212 855 79 36
Attention : Hamza Sakarya (hsakarya@akaystand.com.tr)
SAMPLE DESCRIPTION : One sample of 110 cc Plastic Sauce Cub
DATE IN : 9 February ,2023 (14:42:00)
DATE OUT : 28 February ,2023

TEST	SAMPLE
	1
Dishwasher Safety	F

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered

Ezgi Aleyna ARI
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



230015738

Test Method	Results	Requirements
Dishwasher Safety INTERTEK IHTM AD001 : 2005 refer to BS EN 12875-1		
125 cycles		
Sauce cup	No visible deterioration, distortion or damage.	No visible deterioration, distortion or damage.
Lid	At the end of the 1st wash, determination was observed in the image of the souple	No visible deterioration, distortion or damage.

RESULTS

REPORT :TURT230015738

Page 3 of 3

28 February ,2023

Hardline

Sample



Sample



END OF TEST REPORT

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT230015739
APPLICANT NAME : Akay Stand Paz.San.Tic.Ltd.Şti.
ADDRESS : Adnan Kahveci Mh. İnönü Cd No:93Beylikdüzü İstanbul / TURKEY
TEL:0212 855 79 35FAX:0212 855 79 36
Attention : Hamza Sakarya (hsakarya@akaystand.com.tr)
SAMPLE DESCRIPTION : Eight samples of Transparent Sauce cup with Transparent Lid - 50 cc
DATE IN : 9 February ,2023 (14:43:00)
DATE OUT : 28 February ,2023

TEST	SAMPLE
	1
Dishwasher Safety	F

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered

Ezgi Aleyna ARI
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



230015739

Test Method	Results	Requirements
Dishwasher Safety INTERTEK IHTM AD001 : 2005 refer to BS EN 12875-1		
125 cycles		
Sauce cup	No visible deterioration, distortion or damage.	No visible deterioration, distortion or damage.
Lid	At the end of the 1st wash, determination was observed in the image of the souple	No visible deterioration, distortion or damage.

RESULTS
REPORT :TURT230015739

Page 3 of 3
28 February ,2023
Hardline



END OF TEST REPORT

TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT230015740
APPLICANT NAME : Akay Stand Paz.San.Tic.Ltd.Şti.
ADDRESS : Adnan Kahveci Mh. İnönü Cd No:93Beylikdüzü İstanbul / TURKEY
TEL:0212 855 79 35FAX:0212 855 79 36
Attention : Hamza Sakarya (hsakarya@akaystand.com.tr)
SAMPLE DESCRIPTION : One sample of 60 cc Plastic Sauce Cub
DATE IN : 9 February ,2023 (14:43:00)
DATE OUT : 28 February ,2023

TEST	SAMPLE
	1
Dishwasher Safety	P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered

Ezgi Aleyna ARI
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



230015740

Test Method	Results	Requirements
Dishwasher Safety INTERTEK IHTM AD001 : 2005 refer to BS EN 12875-1		
125 cycles	No visible deterioration, distortion or damage.	No visible deterioration, distortion or damage.

RESULTS
REPORT :TURT230015740

Page 3 of 3
28 February ,2023
Hardline



END OF TEST REPORT